

POVER. PERFORMANCE. RELIABILITY



Katana offers a range of factory activated and premium maintenance free powersports batteries that are manufactured with AGM technology. The YT and YTX range provides superior starting power, vibration and impact resistance making them ideal for high performance applications.



PREMIUM MAINTENANCE FREE AGM RANGE

A range of maintenance–free AGM batteries with superior starting power to suit:

- » The latest-model high-performance motorcycles
- » ATV's
- » Personal watercraft

Featuring:

- » High puncture resistant AGM separators for superior vibration & impact resistance
- » Sulphation retardant to help curb plate damage and provide longer life
- » Sealed maintenance free design

| ITEM ID | BATTERY | VOLTS | CCA | Ah | DIMENSIONS | | | BARCODE |
|------------------------------------|--------------|-------|-------|--------|------------|--------|--------|---------------|
| HEMID | TYPE | VOLIS | -18°C | (10HR) | L (mm) | W (mm) | H (mm) | DARCODE |
| PREMIUM MAINTENANCE FREE AGM RANGE | | | | | | | | |
| 651038 | YTX4L-BS FA | 12 | 50 | 3 | 113 | 71 | 86 | 9313857330369 |
| 651039 | YTX5L-BS FA | 12 | 80 | 4 | 115 | 72 | 107 | 9313857330376 |
| 652025 | TTZ7S | 12 | 130 | 6.3 | 113 | 70 | 105 | 9415951002446 |
| 651040 | YTX7A-BS FA | 12 | 105 | 6 | 150 | 87 | 93 | 9313857330383 |
| 651041 | YTX7L-BS FA | 12 | 100 | 6 | 115 | 72 | 132 | 9313857330390 |
| 652007 | YT7B-BS | 12 | 110 | 6 | 150 | 65 | 93 | 9415951002248 |
| 652008 | YT9B-BS | 12 | 120 | 8 | 150 | 70 | 105 | 9415951002255 |
| 651042 | YTX9-BS FA | 12 | 135 | 8 | 152 | 87 | 107 | 9313857330406 |
| 652024 | TTZ10S | 12 | 190 | 9.1 | 150 | 87 | 93 | 9415951002453 |
| 652001 | YT12A-BS | 12 | 175 | 10 | 150 | 87 | 105 | 9415951002279 |
| 652002 | YT12B-BS | 12 | 210 | 10 | 150 | 59 | 130 | 9415951002262 |
| 651030 | YTX12-BS FA | 12 | 180 | 10 | 150 | 87 | 130 | 9313857330413 |
| 652003 | YT14B-BS | 12 | 210 | 12 | 150 | 70 | 145 | 9415951002286 |
| 652010 | YTX14AH-BS | 12 | 210 | 12 | 134 | 89 | 166 | 9415951002361 |
| 652011 | YTX14AHL-BS | 12 | 210 | 12 | 134 | 89 | 166 | 9415951002378 |
| 651033 | YTX14-BS FA | 12 | 200 | 12 | 152 | 88 | 147 | 9313857330420 |
| 652013 | YTX16-BS | 12 | 230 | 14 | 150 | 87 | 161 | 9415951002392 |
| 652014 | YTX16-BS-1 | 12 | 230 | 14 | 150 | 87 | 161 | 9415951002408 |
| 652015 | YTX20-BS | 12 | 270 | 18 | 175 | 87 | 155 | 9415951002415 |
| 651037 | YTX20L-BS FA | 12 | 270 | 18 | 175 | 87 | 155 | 9313857330437 |

Note: Katana YTX batteries can be installed under multiple mounting angles, see centurybatteries.co.nz for more information.

PREMIUM CONVENTIONAL RANGE

A range of dry-charged, premium 12V batteries to suit:

- » Post-2000 performance motorcycles
- » ATV's
- » Personal watercraft

Featuring:

- » Specialist separators for vibration & impact resistance
- » Sulphation retardant to help curb plate damage and provide longer life
- » Low maintenance design



| ITEM ID | BATTERY | VOLTS | CCA | Ah | DIMENSIONS | | | BARCODE |
|------------|----------------------------|-------|-------|-----------|------------|--------|--------|---------------|
| TTEMTID | TYPE | VOLIS | -18°C | (10HR) | L (mm) | W (mm) | H (mm) | BARCODE |
| PREMIUM CO | PREMIUM CONVENTIONAL RANGE | | | | | | | |
| 650138 | YB4L-B | 12 | 45 | 4 | 120 | 70 | 92 | 9313857250773 |
| 650140 | YB7-A | 12 | 105 | 8 | 136 | 75 | 133 | 9415951001937 |
| 650142 | YB9-B | 12 | 100 | 9 | 135 | 75 | 139 | 9313857250841 |
| 650120 | YB10L-A2 | 12 | 160 | 11 | 135 | 90 | 145 | 9313857250889 |
| 650122 | YB12A-A | 12 | 150 | 12 | 134 | 80 | 160 | 9313857250926 |
| 650124 | YB12AL-A | 12 | 150 | 12 | 136 | 82 | 162 | 9415951002064 |
| 650126 | YB14A-A2 | 12 | 175 | 14 | 134 | 89 | 176 | 9313857319449 |
| 650127 | YB14L-A2 | 12 | 175 | 14 | 134 | 89 | 166 | 9313857319456 |
| 650129 | YB16AL-A2 | 12 | 210 | 16 | 207 | 71.5 | 164 | 9415951002101 |
| 650130 | YB16-B | 12 | 215 | 19 | 175 | 100 | 155 | 9313857251152 |
| 650132 | YB16CL-B | 12 | 215 | 19 | 175 | 100 | 175 | 9313857319463 |
| 650107 | Y50-N18A-A | 12 | 240 | 20 | 205 | 90 | 176 | 9415951001364 |
| 650108 | Y50-N18L-A | 12 | 240 | 20 | 205 | 90 | 162 | 9415951002163 |
| 652000 | 51913* | 12 | 100 | 19 (20HR) | 186 | 82 | 171 | 9313857306593 |





CONVENTIONAL RANGE

A range of dependable 6V & 12V conventional batteries to suit:

- » Classic motorcycles
- » Scooters
- » Pre-2000 ATV's
- » Pre-2000 personal watercraft

Featuring:

- » Specialist separators for dependable cranking power
- » Robust internal components for longer battery life
- » Low maintenance design

| ITEM ID | BATTERY | VOLTS | CCA Ah DIMENSIONS | | | BARCODE | | |
|------------|-----------|-------|-------------------|--------|--------|---------|--------|---------------|
| HEMID | TYPE | VOLIS | -18°C | (10HR) | L (mm) | W (mm) | H (mm) | BARCODE |
| CONVENTION | NAL RANGE | | | | | | | |
| 650114 | 6N4-2A-4 | 6 | - | 4 | 71 | 71 | 96 | 9313857250131 |
| 650115 | 6N4B-2A | 6 | - | 4 | 101 | 47 | 95 | 9313857250193 |
| 650117 | 6N6-3B | 6 | - | 6 | 99 | 57 | 111 | 9313857250285 |
| 650106 | 12N9-4B-1 | 12 | 85 | 9 | 135 | 75 | 139 | 9313857319418 |
| 650101 | 12N14-3A | 12 | 125 | 14 | 136 | 91 | 168 | 9313857319432 |

RECOMMENDED CHARGE RATES

| VOLTAGE | AH RATING | CHARGE SETTING | RECOMMENDED CHARGER | |
|---------|-----------|-------------------|------------------------|--|
| 6V/12V | 4-13AH | 1.2A | CC6121.2 | |
| 12V | 3-20AH | 1A | CC1206, CC1212-XLi | |

Century has the charger for you! For more information visit **centurybatteries.co.nz**





THE KATANA DIFFERENCE

Engines and batteries are designed by manufacturers to complement each other. While some batteries may look the same, they are not all created equal. It is the unseen internal components which make Katana Sports Batteries stand out from the rest.

Featuring a comprehensive range of Premium Maintenance Free AGM, Premium Conventional and Conventional batteries, Katana Sports Batteries are ideal for use in a diverse range of applications including:



MOTORCYCLES



SCOOTERS



ATV'S



WATERCRAFT



VEHICLE



LAWN 8

Manufactured to the highest international standards by the leading name in powersports batteries, Katana Sports Batteries incorporate advanced designed features and specialist hard-wearing components to deliver superior starting power and long lasting performance when it is needed the most.

1 AGM TECHNOLOGY

Absorbed Glass Mat (AGM) separators offer more efficient recharging, improved vibration resistance and enhanced durability for longer battery life.

POLYPROPYLENE COVER AND CONTAINER

Cases and covers are made of polypropylene for superior resistance to fuel, oil and impact.

3 HEAT SEALED CASE

Covers are heat sealed to the case for extra strength and to prevent acid seepage.

4 SAFETY VALVE/FLAME ARRESTOR

Relieves excess pressure during overcharging, preventing the risk of battery explosion.



5 THRU-PARTITION CONSTRUCTION

Improves current flow during the discharge and recharging cycle to maximise battery life.

6 SPECIAL ACTIVE MATERIAL

The active material between the lead plates is compounded to offer protection from damage caused by movement between the lead plates during use.

7 SPECIAL GRID DESIGN

The grid design reduces the effects of plate flex during the charging and recharging cycle.

8 PATENTED SEALED POST

The post sealing process prevents acid seepage that causes terminal corrosion.



BATTERY CARE AND MAINTENANCE

Regular testing and inspection is the key to maximising battery life. A routine inspection at least once a month is recommended to maintain optimum performance.

USE THE FOLLOWING GUIDE TO HELP MAXIMISE THE LIFE OF YOUR BATTERY.

- 1. Make sure the battery is always charged.
- 2. Ensure the battery top is clean, dry and free of dirt and grime.
- **3.** Inspect battery terminals, screws, clamps and cables for breakage, damage or loose connections. They should be tight, clean and free of corrosion.
- 4. Clean terminals, clamps and connectors as necessary using a grease cutting solution.
- **5.** Inspect case for obvious signs of physical damage or warpage. This usually indicates the battery has been overheated or overcharged.
- **6.** Check the vent tube is not kinked, pinched or otherwise obstructed.
- **7.** Check electrolyte levels and top up using distilled or de-mineralised water when required. Katana sealed maintenance free batteries do not require topping up and warranty is void if the sealed case is removed.
- **8.** Test battery every six (6) months using an approved battery tester. Battery should only be tested when fully charged.



For more information on the range of Katana Sports Batteries visit centurybatteries.co.nz or call **0800 93 93 93**

